



# Workbench



18mm  
wood top

With  
leveler screws



Extra shelf for extra  
storage space



Perforated board  
can be used with  
all tanko hangers  
Refer to P41~P43



Cable grommet



680

730



**WE-47W**

W1200xD600xH750

**WE-58W**

W1500xD750xH800



**WE-47W3**

W1200xD620xH1355

**WE-58W3**

W1500xD770xH1710



**WE-47W4**

W1200xD620xH1355

**WE-58W4**

W1500xD770xH1710

**WE-47W5**

W1200xD620xH1355

Light WP-9003

**WE-58W5**

W1500xD770xH1710

Light WP-9003 + WP-9004



Loading : 45kg / drawer

605

630



**WET-4102W**

W1200xD610xH750

**WET-5102W**

W1500xD760xH800



**WET-4102W3**

W1200xD625xH1355

**WET-5102W3**

W1500xD775xH1710



**WET-4102W4**

W1200xD625xH1355

**WET-5102W4**

W1500xD775xH1710

**WET-4102W5**



W1200xD625xH1355

Light WP-9003

**WET-5102W5**

W1500xD775xH1710

Light WP-9003 + WP-9004

| Workbench-Top Type                                                                                                                | Dimensions                  | Features                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------|
| <div>N</div> <div>Rubber top</div> <div></div>   | W1500 x D750 x H30<br>W1800 | High density fiberboard(HDF) covered with green rubber mat on top and PVC protection on four edges.                 |
| <div>F</div> <div>Laminate top</div> <div></div> | W1500 x D750 x H30<br>W1800 | Plywood top covered with gray laminate and PVC protective edges, great performance in high temperature environment. |
| <div>W</div> <div>Wood top</div> <div></div>    | W1500 x D750 x H30<br>W1800 | Finger-jointed rubber wood to ensure high durability.                                                               |



 600kg load capacity



Various types of drawer / base designs



With leveler screws




Perforated board can be used with all tanko hangers  
Refer to P41~43



## Standard


| Dimensions      | Rubber top N  | Laminate top F | Wood top W    |
|-----------------|---------------|----------------|---------------|
| W1500xD750xH800 | <b>WB-57N</b> | <b>WB-57F</b>  | <b>WB-57W</b> |
| W1800xD750xH800 | <b>WB-67N</b> | <b>WB-67F</b>  | <b>WB-67W</b> |



Loading : 50kg / drawer

## Drawers

| Dimensions      | Rubber top N     | Laminate top F   | Wood top W       |
|-----------------|------------------|------------------|------------------|
| W1500xD750xH800 | <b>WBT-5203N</b> | <b>WBT-5203F</b> | <b>WBT-5203W</b> |
| W1800xD750xH800 | <b>WBT-6203N</b> | <b>WBT-6203F</b> | <b>WBT-6203W</b> |



ES-13022 cabinet

Dimensions : W400xD607xH300

Loading : 45kg / drawer

## Hanging Cabinet

| Dimensions      | Rubber top N      | Laminate top F    | Wood top W        |
|-----------------|-------------------|-------------------|-------------------|
| W1500xD750xH800 | <b>WBS-53022N</b> | <b>WBS-53022F</b> | <b>WBS-53022W</b> |
| W1800xD750xH800 | <b>WBS-63022N</b> | <b>WBS-63022F</b> | <b>WBS-63022W</b> |



EGA-7041 tool cabinet

Loading : 45kg / drawer [Refer to P21](#)

Perforated panels are optional, please refer to [P18](#)




## Tool Cabinet

| Dimensions       | Rubber top N    | Laminate top F  | Wood top W      |
|------------------|-----------------|-----------------|-----------------|
| W1500xD750xH1400 | <b>WB-57N6A</b> | <b>WB-57F6A</b> | <b>WB-57W6A</b> |
| W1800xD750xH1400 | <b>WB-67N6A</b> | <b>WB-67F6A</b> | <b>WB-67W6A</b> |




|                |                 |
|----------------|-----------------|
| W566xD510xH700 | <b>EGA-7041</b> |
|----------------|-----------------|

Power plugs not included.

| Workbench-Top Type                                                                                                  | Dimensions                                                  | Features                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>N</b><br>Rubber top             | W1500<br>W1800 x D750 x H50<br>W2100                        | High density fiberboard(HDF) covered with green rubber mat on top and PVC protection on four edges.                 |
| <b>F</b><br>Laminate top           | W1500<br>W1800 x D750 x H50<br>W2100                        | Plywood top covered with gray laminate and PVC protective edges, great performance in high temperature environment. |
| <b>W</b><br>Wood top              | W1500<br>W1800 x D750 x H50<br>W2100                        | Finger-jointed rubber wood to ensure high durability.                                                               |
| <b>S</b><br>Stainless steel top  | W1500<br>W1800 x D750 x H50<br>W2100                        | High density material covered with 1.2mm stainless steel sheet.                                                     |
| <b>T</b><br>Tanko top            | W1500 x D750 x <sup>36(TG)</sup> <sub>43(TH)</sub><br>W1800 | Multi-layer laminate and PVC protection on four edges.                                                              |
| <b>A</b><br>Benchwork top        | W1500 x D750 x H50<br>W1800                                 | 36mm base material covered with 9mm steel plate.                                                                    |
| <b>P.Q</b><br>Steel top          | W1200<br>W1500 x D750 x H50<br>W1800                        | Made from 2mm steel, covered with 10mm black rubber mat( <b>P</b> ) or 12mm PVC mat( <b>Q</b> ).                    |



Various types of drawer / base designs



With leveler screws



Perforated panels are optional  
Refer to P18

**KG 2000kg load capacity**  
**KG 1000kg load capacity (Mobile type)**

Workbench-top types Refer to P12



Rubber top



Laminate top



Wood top



Stainless steel top




Tanko top

(TG)H36mm  
(TH)H43mm



## Standard

| Workbench-top                         | N           | F          | S          | W | TG                  | TH                  |
|---------------------------------------|-------------|------------|------------|---|---------------------|---------------------|
| Dimensions                            | WxDxH       |            |            |   | WxDxH               |                     |
| <b>WA-56</b> <input type="checkbox"/> | —           |            |            |   | <b>1500x650x786</b> | <b>1500x650x793</b> |
| <b>WA-57</b> <input type="checkbox"/> | <b>1500</b> | <b>750</b> | <b>800</b> |   | <b>1500x750x786</b> | <b>1500x750x793</b> |
| <b>WA-67</b> <input type="checkbox"/> | <b>1800</b> | <b>750</b> | <b>800</b> |   | <b>1800x750x786</b> | <b>1800x750x793</b> |
| <b>WA-77</b> <input type="checkbox"/> | <b>2100</b> | <b>750</b> | <b>800</b> |   | —                   | —                   |



With undershelf

## Mobile

| Workbench-top                                  | N           | F          | S          | W | TG                  | TH                  |
|------------------------------------------------|-------------|------------|------------|---|---------------------|---------------------|
| Dimensions                                     | WxDxH       |            |            |   | WxDxH               |                     |
| <b>WA-57</b> <input type="checkbox"/> <b>M</b> | <b>1500</b> | <b>750</b> | <b>850</b> |   | <b>1500x750x836</b> | <b>1500x750x843</b> |
| <b>WA-67</b> <input type="checkbox"/> <b>M</b> | <b>1800</b> | <b>750</b> | <b>850</b> |   | <b>1800x750x836</b> | <b>1800x750x843</b> |

**Model No. WA-57** ☐ **N** / ☐ **Workbench-top types**

Unit of measurement : mm

Workbench-top types [Refer to P12](#)



Rubber top



Laminate top



Wood top




Stainless steel top



Tanko top

(TG)H36mm  
(TH)H43mm

**2000kg load capacity**



Loading : 50kg / drawer

## Drawers


| Workbench-top                            | N            | F | S | W | TG           | TH           |
|------------------------------------------|--------------|---|---|---|--------------|--------------|
| Dimensions                               | WxDxH        |   |   |   | WxDxH        |              |
| <b>WAT-5203</b> <input type="checkbox"/> | 1500x750x800 |   |   |   | 1500x750x786 | 1500x750x793 |
| <b>WAT-6203</b> <input type="checkbox"/> | 1800x750x800 |   |   |   | 1800x750x786 | 1800x750x793 |



Cabinet dimensions : W566xD607xH380  
Loading : 100kg / drawer [Refer to P24](#)

## Hanging Cabinet


| Workbench-top                             | N            | F | S | W | TG           | TH           |
|-------------------------------------------|--------------|---|---|---|--------------|--------------|
| Dimensions                                | WxDxH        |   |   |   | WxDxH        |              |
| <b>WAS-54031</b> <input type="checkbox"/> | 1500x750x800 |   |   |   | 1500x750x786 | 1500x750x793 |
| <b>WAS-64031</b> <input type="checkbox"/> | 1800x750x800 |   |   |   | 1800x750x786 | 1800x750x793 |
| <b>WAS-74031</b> <input type="checkbox"/> | 2100x750x800 |   |   |   | —            | —            |



Cabinet dimensions : W566xD607xH700  
Loading : 100kg / drawer [Refer to P25](#)

## Tool Cabinet

| Workbench-top                             | N            | F | S | W | TG           | TH           |
|-------------------------------------------|--------------|---|---|---|--------------|--------------|
| Dimensions                                | WxDxH        |   |   |   | WxDxH        |              |
| <b>WAS-57042</b> <input type="checkbox"/> | 1500x750x800 |   |   |   | 1500x750x786 | 1500x750x793 |
| <b>WAS-67042</b> <input type="checkbox"/> | 1800x750x800 |   |   |   | 1800x750x786 | 1800x750x793 |
| <b>WAS-77042</b> <input type="checkbox"/> | 2100x750x800 |   |   |   | —            | —            |




Cabinet dimensions : W566xD607xH700  
Loading : 100kg / drawer [Refer to P25](#)

## Double Tool Cabinet


| Workbench-top                             | N            | F | S | W |
|-------------------------------------------|--------------|---|---|---|
| Dimensions                                | WxDxH        |   |   |   |
| <b>WAD-77042</b> <input type="checkbox"/> | 2100x750x800 |   |   |   |

## Benchwork top

Refer to P12




**2000kg load capacity**  
With undershelf



### Standard


| Dimensions      | A<br>Benchwork top |
|-----------------|--------------------|
| W1500xD750xH800 | <b>WA-57A</b>      |
| W1800xD750xH800 | <b>WA-67A</b>      |



Loading : 50kg / drawer

### Drawers

| Dimensions      | A<br>Benchwork top |
|-----------------|--------------------|
| W1500xD750xH800 | <b>WAT-5203A</b>   |
| W1800xD750xH800 | <b>WAT-6203A</b>   |



Cabinet dimensions : W566xD607xH380  
Loading : 100kg / drawer [Refer to P24](#)

### Hanging Cabinet

| Dimensions      | A<br>Benchwork top |
|-----------------|--------------------|
| W1500xD750xH800 | <b>WAS-54031A</b>  |
| W1800xD750xH800 | <b>WAS-64031A</b>  |



Cabinet dimensions : W566xD607xH700  
Loading : 100kg / drawer [Refer to P25](#)

### Tool Cabinet

| Dimensions      | A<br>Benchwork top |
|-----------------|--------------------|
| W1500xD750xH800 | <b>WAS-57042A</b>  |
| W1800xD750xH800 | <b>WAS-67042A</b>  |

# Heavy Duty Workbench

DIY Product

## Steel top

Refer to P12



P : 10mm Rubber mat  
Q : 12mm PVC mat



Perforated panels  
are optional  
Refer to P18



EA-7042 Refer to P25



EGA-7041 Refer to P21



**2000kg load capacity**



### Standard

| Steel-top                      | P            | Q            |
|--------------------------------|--------------|--------------|
| Dimensions                     | WxDxH        | WxDxH        |
| WD-48 <input type="checkbox"/> | 1224x775x810 | 1224x775x812 |
| WD-58 <input type="checkbox"/> | 1524x775x810 | 1524x775x812 |
| WD-68 <input type="checkbox"/> | 1824x775x810 | 1824x775x812 |



### Hanging Cabinet

Loading : 45kg / drawer

| Steel-top                        | P            | Q            |
|----------------------------------|--------------|--------------|
| Dimensions                       | WxDxH        | WxDxH        |
| WD-4801 <input type="checkbox"/> | 1224x775x810 | 1224x775x812 |
| WD-5801 <input type="checkbox"/> | 1524x775x810 | 1524x775x812 |
| WD-6801 <input type="checkbox"/> | 1824x775x810 | 1824x775x812 |



Loading : 45kg / drawer

### Two Drawers

| Steel-top                         | P            | Q            |
|-----------------------------------|--------------|--------------|
| Dimensions                        | WxDxH        | WxDxH        |
| WDT-4202 <input type="checkbox"/> | 1224x775x810 | 1224x775x812 |

### Three Drawers

| Steel-top                         | P            | Q            |
|-----------------------------------|--------------|--------------|
| Dimensions                        | WxDxH        | WxDxH        |
| WDT-5203 <input type="checkbox"/> | 1524x775x810 | 1524x775x812 |
| WDT-6203 <input type="checkbox"/> | 1824x775x810 | 1824x775x812 |

Model No. WD-58 ☐ P / ☐ Q Workbench-top types

Unit of measurement : mm

# Stainless Steel Workbench



**KG 600kg load capacity**



Various types of drawer / base designs



With leveler screws



Perforated panels are optional  
Refer to P18



|               |                 |
|---------------|-----------------|
| <b>WD-48S</b> | W1217xD768xH800 |
| <b>WD-58S</b> | W1517xD768xH800 |
| <b>WD-68S</b> | W1817xD768xH800 |



Loading : 35kg / drawer

## Two Drawers

|                  |                 |
|------------------|-----------------|
| <b>WDT-4202S</b> | W1217xD768xH800 |
|------------------|-----------------|


## Three Drawers

|                  |                 |
|------------------|-----------------|
| <b>WDT-5203S</b> | W1517xD768xH800 |
| <b>WDT-6203S</b> | W1817xD768xH800 |

# Workbench Accessories


## Panel Set

For both professional and heavy duty workbenches




**WQ-52** W1502xD202xH603

**WQ-62** W1802xD202xH603



**WQ-53** W1502xD325xH603

**WQ-63** W1802xD325xH603




**WQ-54A** W1502xD202xH603

**WQ-64A** W1802xD202xH603

Universal socket (110V~220V) x4

Power plugs not included




**WQ-55A** W1502xD325xH603

**WQ-65A** W1802xD325xH603

Universal socket (110V~220V) x4

Power plugs not included



**WQ-56A** W1502xD325xH603

**WQ-66A** W1802xD325xH603

Universal socket (110V~220V) x4

LED light (20W) x1

Power plugs not included



**WQ-67A** W1780xD450xH564


Parts cabinet (W218xD420xH540) x2

Universal socket (110V~220V) x4

LED light (20W) x1

Power plugs not included


For steel top workbench



**WQD-43** W1217xD320xH658

**WQD-53** W1517xD320xH658

**WQD-63** W1817xD320xH658



**WQD-46A** W1217xD320xH658 10W


**WQD-56A** W1517xD320xH658 20W

**WQD-66A** W1817xD320xH658 20W

Universal socket (110V~220V) x4

LED light (10W / 20W) x1

Power plugs not included



**WQD-49A** W1217xD320xH958 10W

**WQD-59A** W1517xD320xH958 20W


**WQD-69A** W1817xD320xH958 20W

Universal socket (110V~220V) x4

LED light (10W / 20W) x1

Power plugs not included


For stainless steel workbench



**WQD-42S** W1209xD202xH645

**WQD-52S** W1509xD202xH645


**WQD-62S** W1809xD202xH645



**WQD-43S** W1209xD320xH645

**WQD-53S** W1509xD320xH645

**WQD-63S** W1809xD320xH645



**WQD-47S** W1209xD320xH945

**WQD-57S** W1509xD320xH945

**WQD-67S** W1809xD320xH945

Unit of measurement : mm

## Undershelf



For heavy duty workbench

|              |                |
|--------------|----------------|
| <b>WP-41</b> | W1400xD509xH30 |
| <b>WP-42</b> | W1700xD509xH30 |
| <b>WP-43</b> | W2000xD509xH30 |



For steel top workbench


|               |                |
|---------------|----------------|
| <b>WDP-14</b> | W1200xD660xH30 |
| <b>WDP-15</b> | W1500xD660xH30 |
| <b>WDP-16</b> | W1800xD660xH30 |



For stainless steel workbench

|                |                |
|----------------|----------------|
| <b>WDP-14S</b> | W1200xD655xH30 |
| <b>WDP-15S</b> | W1500xD655xH30 |
| <b>WDP-16S</b> | W1800xD655xH30 |

## Shelf



|              |            |
|--------------|------------|
| <b>KP-19</b> | W1500xD300 |
| <b>KP-20</b> | W1800xD300 |
| <b>KP-21</b> | W2100xD300 |

## Air Coupling



|                |         |
|----------------|---------|
| <b>WP-9021</b> | 2 holes |
|----------------|---------|

## Socket



|                 |           |
|-----------------|-----------|
| <b>WP-9013A</b> | 110V~220V |
|-----------------|-----------|

## Light



LED light

|                |               |
|----------------|---------------|
| <b>WP-9002</b> | W1150xD22xH39 |
| 20W            |               |

## Workbench Seating



|                  |                         |
|------------------|-------------------------|
| <b>WP-625011</b> | W 350<br>D 350<br>H 480 |
|------------------|-------------------------|



|                  |                             |
|------------------|-----------------------------|
| <b>WP-625023</b> | W 350<br>D 350<br>H 500~640 |
|------------------|-----------------------------|



Ultra thin LED light

|                |                |
|----------------|----------------|
| <b>WP-9003</b> | <b>WP-9004</b> |
| W604xD32xH7    | W604xD32xH7    |
| 15W            | 15W            |

WP-9003 can be extended with WP-9004



|                 |                                       |
|-----------------|---------------------------------------|
| <b>WP-61301</b> | W 330 (Cushion)<br>D 600<br>H 400~510 |
|-----------------|---------------------------------------|



|                 |                                 |
|-----------------|---------------------------------|
| <b>WP-61102</b> | W 430<br>D 490~530<br>H 810~925 |
|-----------------|---------------------------------|